

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

Exterior Lighting Solutions

Dorado XLR Area/Site



Catalog Number	Description	Qty. Available
QDXLR-120-50-UNVL-1-5-N-Z5	Dorado XLR Area Light 15,000 L 125W 120-277V 5000K 5M Lens L70 > 125,000 Hrs Bronze Fixture Color No Mount Included 5-Year Warranty	3118

Dorado XLP Area/Site



QDXLP1-24-50-UNVL-1-3-N-Z1	Dorado XLP Area Light 33,000lm 222W 120-277VAC 5000K 3M Lens Bronze No Sensor Slip fitter Mount for 2 3/8" Round Tenon 10-Year Warranty	10
QDXLP1-32-40-UNVL-1-5-N-Z3	Dorado XLP Area Light 44,300lm 307W 120-277VAC 4000K 5M Lens Bronze No Sensor Pole Mount for Square Pole 10-Year Warranty	50
QDXLP1-32-50-UNVL-2-5-N-Z3	Dorado XLP Area Light 45,400lm 307W 120-277VAC 5000K 5M Lens White Pole Mount for Square Pole 10-Year Warranty	8
QDXLP1-50-30-UNVL-1-5-N-Z3	Dorado XLP Area Light 68,100lm 458W 120-277VAC 3000K 5M Lens Bronze No Sensor Pole Mount for Square Pole 10-Year Warranty	33
QDXLP1-50-50-UNVL-1-5-N-Z1	Dorado XLP Area Light 68,100lm 458W 120-277VAC 5000K 5M Lens Bronze No Sensor Slip-fitter Mount for 2-3/8" Round Tenon 10-Year Warranty	12
QDXLP1-50-50-UNVL-2-5-N-Z3	Dorado XLP Area Light 68,100lm 458W 120-277VAC 5000K 5M Lens White No Sensor Pole Mount for Square Pole 10-Year Warranty	10

QubeFlood Area/Site



Catalog Number	Description	Quantity Available
QF4-1-UNVL-5-50-100	QubeFlood4 Luminaire: 11,650 Lumen 5000K 93W 120/277V 5M Lens 1000mA Bronze	10
QF3-1-UNVH-2S-50-1050	QubeFlood3 10,000L 102W 347 - 480 V 2S Lens Bronze	8
QF3-1-UNVL-2S-50-1050	QubeFlood3 10,000L 100W 120 - 277 Type 2S Bronze	98
QF3-1-UNVL-5S-50-1050	QubeFlood3 Bronze Low Voltage 5S Lens	6
QF3-2-UNVH-5S-50-1050	QubeFlood3 10,000L 102W 347 - 480V Type 5S White	40
QF3-3-UNVL-5S-50-1050	QubeFlood3 Black Low Voltage 5S Lens	2

QubeLot Area/Site



Catalog Number	Description	Quantity Available
QL3-BZ-UNVL-3-5-50-11-100	QubeLot3 12,770 Lumens 5000K 102W 120/277V Bronze 1000mA 3 Qube	2
QL3-BZ-UNVL-3-5-50-15-100	QubeLot3 17,410 Lumens 5000K 138W 120/277V Bronze 1000mA 3 Qube	10
QL3-GN-UNVH-4-5-40-15-115	QubeLot3 25,000 Lumens 4000K 220W 347/480V Green RAL 6029 1150mA 4 Qube	20

Regal3



Catalog Number	Description	Quantity Available
WPR3-UNVL-100-2-40-BZ	QubePAK Regal 3 Wall Mount 13,000lm 100W 120-277VAC 4000K Type 2 Lens Dimmable Bronze 10-Year Warranty	9
WPR3-UNVL-100-2-50-BZ	QubePAK Regal 3 Wall Mount 13,000lm 100W 120-277VAC 5000K Type 2 Lens Dimmable Bronze 10-Year Warranty	54
WPR3-UNVL-100-4-30-BZ	QubePAK Regal 3 Wall Mount 13,000lm 100W 120-277VAC 3000K Type 4 Lens Dimmable Bronze 10-Year Warranty	4
WPR3-UNVL-100-4-40-BZ	QubePAK Regal 3 Wall Mount 13,000lm 100W 120-277VAC 4000K Type 4 Lens Dimmable Bronze 10-Year Warranty	22
WPR3-UNVL-37-2-30-BZ	QubePAK Regal 3 Wall Mount 4701lm 37W 120-277VAC 3000K Type 2 Lens Non-Dimmable Bronze 10-Year Warranty	70
WPR3-UNVL-58-2-40-BZ	QubePAK Regal 3 Wall Mount 7695lm 58W 120-277VAC 4000K Type 2 Lens Dimmable Bronze 10-Year Warranty	3
WPR3-UNVL-58-4-40-BZ	QubePAK Regal 3 Wall Mount 7695lm 58W 120-277VAC 4000K Type 4 Lens Dimmable Bronze 10-Year Warranty	50



Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

Decorative Sconce - Up/Down Light



Catalog Number	Description	Quantity Available
3-4046D-05-50	Wall Mount Up/Down Outdoor Cylinder LED Fixture 1330 Lumen 16W 120-277V 5000K Black Fixture Color	144
3-4046D-30-3000K	Wall Mount Up/Down Outdoor Cylinder LED Fixture 1330 Lumen 16W 3000K 120-277V Bronze Fixture Color	5
3-5046D-05-3000K	Wall Mount Up/Down Outdoor Cylinder LED Fixture 3200 Lumen 34W 120-277V Black Fixture Color	12

QubePark Garage/Canopy



Catalog Number	Description	Quantity Available
QG2-1-UNVL-2-5M-52-0	QubePark - Parking Garage Fixture - Low Voltage	49

Canopy Star XL



Catalog Number	Description	Quantity Available
GCL1-07-UNVL-50-F-WH	Canopy Star XL LED Gas Canopy Light 11,314lm 73W 120-277VAC 5000K Frosted Lens Dimmable White 10-Year Warranty	78
GCL1-15-UNVL-50-F-WH	Canopy Star XL LED Gas Canopy Light 22,831lm 152W 120-277VAC 5000K Frosted Lens Dimmable White 10-Year Warranty	36

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

Interior Lighting Solutions

LSF1 Wrap Fixture



Catalog Number	Description	Quantity Available
LSF1-1-4-UNVL-25-2-40	LSF1 4' LED Wrap Around Fixture Surface and Suspended 3350lm 25W 120-277VAC 4000K 10-Year Warranty	320
LSF1-1-4-UNVL-29-3-T	LSF1 4' LED Wrap Around Fixture Surface and Suspended 3900lm 29W 120-277VAC 2700-6500K Smart Blu 10-Year Warranty	26
LSF1-1-4-UNVL-30-2-40	LSF1 4' LED Wrap Around Fixture Surface and Suspended 3980lm 28.8W 120-277VAC 4000K 10-Year Warranty	192
LSF1-1-8-UNVL-50-2-40	LSF1 8' LED Wrap Around Fixture Surface and Suspended 6700lm 51.1W 120-277VAC 4000K 10-Year Warranty	2
LSF1-1-8-UNVL-50-3-T	8' LED Wrap Around Fixture 50W 6500 Lumens 2700-6500K 120-277V Blu-Drive	13
LSF1-2-4-UNVL-25-2-40	LSF1 4' LED Wrap Around Fixture Surface and Suspended 14" Wide 3350lm 25W 120-277VAC 4000K 10-Year Warranty	163

EcoStar3 Cabinet & Display & EcoStar4 Refrigeration Lighting



Catalog Number	Description	Quantity Available
ESRP-4EH-1-10-24-6-40-D10-C	EcoStar 4EH Refrigeration Display Luminaire 6-Foot Length 1,524 L 11W 24V 4000K 10" Lense Center Unit Dimmable 10-Year Warranty	16
ESRP-4EH-1-4-24-5-50-D10-C	EcoStar 4EH Refrigeration Display Luminaire 5-Foot Length 1,200 L 9W 24V 5000K 4" Lense Center Unit Dimmable 10-Year Warranty	10

Bayline



Catalog Number	Description	Quantity Available
BLN1-1-UNVL-50-70-B-90-S1	BayLine High Bay 15,000 L 100 W 120-277 V 5000 K 90-Degree Lens Dimmable Integrated Motion/Photocell Sensor Mounting Height 15' - 45' 10-Year Warranty	3
BLN1-1-UNVL-50-70-M-120-S1	BayLine High Bay 31,000 L 205 W 120-277 V 5000 K 120-Degree Lens Dimmable Integrated Motion/Photocell Sensor Mounting Height 15' - 45' 10-Year Warranty	18

Exsabay XLE



Catalog Number	Description	Quantity Available
EBXLE1-1-UNVL-110-40-E-Y-N	ExsaBay XLE High Bay Luminaire 24150L 120 - 277V 161W 4000K 110 - Degree Motion Sensor 10' Black Power Cord	3
EBXLE1-1-UNVL-90-50-C-N-N	ExsaBay XLE High Bay Luminaire 15150L 120 - 277V 101W 5000K 90 - Degree 10' Black Power Cord	5
EBXLE1-1-UNVL-90-50-C-N-N A004	ExsaBay XLE High Bay Luminaire 8000L 120 - 277V 53W 5000K 90 - Degree 10' Black Power Cord	7
EBXLE1-1-UNVL-90-50-C-Y-N	ExsaBay XLE High Bay Luminaire 15150L 120 - 277V 101W 5000K 90 - Degree Motion Sensor 10' Black Power Cord	16
EBXLE1-1-UNVL-90-50-E-N-N	ExsaBay XLE High Bay Luminaire 24150L 120 - 277V 161W 5000K 90 - Degree 10' Black Power Cord	28
EBXLE1-1-UNVL-90-50-F-N-N	ExsaBay XLE High Bay Luminaire 30150L 120 - 277V 201W 5000K 90 - Degree 10' Black Power Cord	5
EBXLE1-1-UNVL-90-50-F-N-Y	ExsaBay XLE High Bay Luminaire 30150L 120 - 277V 201W 5000K 90 - Degree BBU 10' Black Power Cord	12
EBXLE1-1-UNVL-90-50-J-N-N	ExsaBay XLE High Bay Luminaire 58550L 120 - 277V 401W 5000K 90 - Degree 10' Black Power Cord	2
EBXLE1-1-UNVL-90-50-K-N-N	ExsaBay XLE High Bay Luminaire 72150L 120 - 277V 481W 5000K 90 - Degree 10' Black Power Cord	5
EBXLE1-TL	ExsaBay XLE1 Twist Lock	180
EBXLE1-WG-1	ExsaBay XLE Wire Guard For 15150L Fixture 101W	20
EBXLE1-WG-2	ExsaBay XLE Wire Guard For 24150 and 30150L Fixture 201 and 161W	60

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

LED Lamps



Catalog Number	Description	Quantity Available
ST1-1-UNV-4-H-40-TWS1	Kitted: (1) TwinStar Part# TWS1 TwinStar Housing 48" (2) LED Tubes Part# ST1-1-UNV-4-H-40 T8 Type B LED Tube Single Ended 4' 4070L 10 -277V 32W 4000K	29
ST1-1-UNV-4-S-35	LED Tube 21W 2,200 Lumen 3500K 100-277V	149
ST1-2-UNV-2-9A-50	LED Tube 2' Single-Ended Type B Tube 1,100 L 9W 120-277V 5000K	24
ST1-2-UNV-3-9A-50	LED Tube 3' Single-Ended Type B Tube 1,390 L 10W 120-277V 5000K	182
ST1-2-UNV-4-12A-35	4' LED Tube 12.1W 1,800 Lumen 3500K 100-277V Includes Wire	6533
ST1-4-UNV-4-12A-35	4' LED Tube 12.9W 1,820 Lumen 3500K 100-277V	250
ST1-4-UNV-4-17B-40	T10 Type B LED Tube Single Ended 4' 2720L 120 - 277V 17W 4000K	526
ST1-7-UNV-4-10A-35-GL	T8 Type B LED Tube Single Ended 4' 1800L 120 - 277V 10W 3500K Glass	1366
ST1-7-UNV-4-10A-40-GL	T8 Type B LED Tube Single Ended 4' 1800L 120 - 277V 10W 4000K Glass	38257
ST1-7-UNV-4-11A-35-GL	T8 Type B LED Tube Single Ended 4' 1750L 120 - 277V 11W 3500K Glass	33638
ST1-7-UNV-4-12A-35	T8 Type B LED Tube Single Ended 4' 1750L 120 - 277V 12W 3500K	1766
ST1-7-UNV-4-13A-50	T8 Type B LED Tube Single Ended 4' 1750L 120 - 277V 14W 5000K	308
ST3-1-4-11A-50-P-DE-T5	T5 Type A/B LED Tube Double Ended 4' 1800L 120 - 277V 11W 5000K	5466
ROS1804T832WALUS-5PK	*5pk* 1x8 four light recessed F32 offset ballast cover kit: -(1) offset bracket -(4) 1/4 turns -(10) Tek screws -(8) unshunted socket. -(2) End cover plates -(2) 4' Ballast covers	240
LS-WG-48	T8 Linear Wire Guard For Lone Star - TXS132X1FF Fixture	533
ROS-18-04-US	Recessed Retrofit Kit 2 lamps to 4 lamps w/ unshunted tombstones (Case Qty 5)	108
KT-LED12T5HE-36GC-850-DX2	12W T5 LED 1600lm 12W 120-277V 5000K Single- or Double-Ended Wiring	13
L16-T5-SE-3-40CG	16W, LED Linear T5 tube Single-Ended Power 3FT 4000K, Coated Glass	237
L16T5SE335-CG	16W LED Linear T5 tube Single-Ended Power 3FT 3500K Coated Glass	7
L16T5SE350-CG	16W, LED Linear T5 tube Single-Ended Power 3FT 5000K Coated Glass	50
LED11T5HEL36FG850BF	T5HE Double Ended Lamp 1500lm 11W 120-277V 5000K 3ft	22
L24T8/835/9G-ID DE	T8 tube 24" 9w internal driver double end input 120-277V 3500K 1100 Lms	51
97894	T8 3500K 3 Foot Medium Bi-Pin G13	3
L48T8/835/15G-XT	T8 tube 48" 15w 3500K 1800 Lms	348
10924	LED T8 Dual Mode U-Bend Replacement Lamp 1" U-Bend 4000K 2000 Lumens 13W 120-277V	80
PLTS-60020	LED T8 U-Bend Glass Hybrid Lamp 1950 lm 15W/16.5W 120-277V Frosted Lens 4000K White	133

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

LED Bulbs




Catalog Number	Description	Quantity Available
A15FR5/830/OMNI2/LED 80197	LED A15 5.5W 3000K DIMMABLE E26 ProLED	8
S9031	LED Frosted A15 E26 450 Lumen 5.5 Watt 120V 3000K Damp Rating 5 Year Limited - 10 hr per day 25000 Hours Rated Type A	694
57856	A19 E26 Bulb 8.5W 120V 800 Lumen 2700K Dimmable	103
79702	Sylvania 79702 - LED8.5A19F83510YVRP A19 A Line Pear LED Light Bulb	16
8.5A19DIM/830	8.5W A19 3000K Dimmable 60W Equivalent	36
40773	Type: BR30 E26 Base 8W 120V Color: 4000 K Dimmable	123
LED9BR30D50K	Dimmable 9W Smooth BR30 - 5000K	91
S8021	LED Filament Bulb 100 Lumen 1 Watt 120V 2700K Suitable for Outdoor Use 3 Year Warranty	73
6.5MRGD930NF/JA8/G2	MR16 GU10 LED Bulb 500 Lumen 6.5W 120V 3000K 90CRI 25 Degree Beam Angle	11
98089	98088 37HID LED E26 Base 37w 120-277v 5000K 5200 Lmns Non-Dimmable	136
70046-900-000	70046 Medium Base One-Piece Keyless HID Glazed Porcelain Lampholder Incandescent Single Circuit Side Wired 4KV-Pulse Rated - White	547
LH0291	E26/E27 medium base lampholder extender, extends lamp aprox. 1 1/4"	2473
LH0682-E39	medium base to E39 mogul base lamp holder/socket reducer	220
HM00910	Adapter Converter Socket 4-Pin G24q/GX24q to Medium Screw (E26)	192
LED-7319	LED-7319 socket extender	49
7.5MR16DIM/940FL35/R	MR16 7.5W 4000K 550 Lmns Base GU5.3 12V Dimmable	7
11PAR30DIM/930NF25	E26 Base 75W 11W 3000K 900L 120V Suitable to replace 50W, 75W, 120W halogen lamps	36
11PAR30DIM/940FL40	11W PAR30 4000K 40 Degree Flood 1030 Lumens 120V Dimmable 75W Equivalent	12
12.5PAR30G4DIM/930NF25/B	12.5W PAR30 3000K 25 Degree Spot Dimmable 75W Equivalent Black	5
12PAR30L/AMB/F40/840/DIM ULW	4000K Lamp 12W E26 Base Beam angle 40°	8
74603	Par 30 11 watt 5000K 850 Lumens	23
97902	Power: 13 W Warm White 3000K CRI 90 65/90 Lumens 1050 LPW 81 Beam Angle FL 40 Degrees CBCP 2300 **BLACK LAMP**	6
AKTGP30BL	Par30 Short, Gimbal Ring - Prescolite - Black	48
PAR30FL11L/930/BH/LED	PAR30 Long Neck Medium Base PAR30FL11L/930/BH/LED Black Housing Dimmable 120V 3000K 90 CRI 800 Lumens 40 Degree Spread 75W	438
74950	LED16PAR38/DIM/850/FL40/13Y/GL/WRP	386
14.5PLH/840/DIR	4 Pin LED PL Lamp 1,750 Lumen 14.5W 4000K Ballast Compatible 0-10V Dimming G24q/GX24q Base	441
9.5PLO/840/DIR	Omni Directional LED Lamp Electronic Ballasts 120-277V 4000K 1,200 Lumens	11
98248	17PLV/830/DIR 42W 1900L 120-277V 3000K	8
98249	42W 120-277V 1900L 3500K 82 CRI 112 Efficacy 120 degree beam angle Dimmable 50,000Hr Life	32
98253	15.5 PLH 3500K 1750 Lumens 120-277V	39
98257	16.5PLV/835/BYP 1850lm 16.5W 120-277V 3500K BYPASS G24d, GX24d, G24q & GX24q (2/4-pin CFL)	34
98399	8W 2700K 80CRI 870 Lumens 120-277V	24
9PLO/840/HYBM	Omni Directional LED Lamp Electronic Ballasts 120-277V 4000K 1,250 Lumens	3
HN-V-G24Q-B-11W-835-G4	Helen Lamp Vertical 4-pin CFL Socket 11W 3500K	27
L10V/841/BYP/LED	L10V/841/BYP/LED 120-277 4100K Lumens 1000 watts 26/32/42	50
1408992	10PUBGULED27 10W 800 Lmns 2700K Base GU24 Puck Lamp	6
LED-7318-35A	LED-7318-35A 12W 1157 Lmns 3500K Non Dimmable	100



Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

TDK/TEG Retrofit Troffer Kit



Catalog Number	Description	Quantity Available
TDK1-1-14-UNVL-25-1-35	TDK Troffer Retrofit Kit 1x4 3230L 120 - 277V 25W 3500K	30
TDK1-1-14-UNVL-25-1-40	TDK Troffer Retrofit Kit 1x4 3390L 120 - 277V 25W 4000K	487
TDK1-1-14-UNVL-25-1-40 B	TDK Troffer Retrofit Kit 1x4 3390L 120 - 277V 25W 4000K BBU	7
TDK1-1-14-UNVL-25-1-50	TDK Troffer Retrofit Kit 1x4 3320L 120 - 277V 25W 5000K	45
TDK1-1-14-UNVL-30-1-30	TDK Troffer Retrofit Kit 1x4 3760L 120 - 277V 30W 3000K	25
TDK1-1-14-UNVL-30-1-40	TDK Troffer Retrofit Kit 1x4 3910L 120 - 277V 30W 4000K	353
TDK1-1-14-UNVL-30-1-50	TDK Troffer Retrofit Kit 1x4 3980L 120 - 277V 30W 5000K	277
TDK1-1-22-UNVL-21-1-40	TDK Troffer Retrofit Kit 2X2 2600L 120 - 277V 21W 4000K	15
TDK1-1-22-UNVL-29-3-T	TDK Troffer Retrofit Kit 2X2 3650L 120 - 277V 29W 2700 - 6500K BLU Drive Driver	54
TDK1-1-22-UNVL-30-1-30	TDK Troffer Retrofit Kit 2X2 3880L 120 - 277V 30W 3000K	5
TDK1-1-24-UNVL-25-1-40	TDK Troffer Retrofit Kit 2X4 3330L 120 - 277V 25W 4000K	1178
TDK1-1-24-UNVL-25-1-40 BAA	TDK Troffer Retrofit Kit 2X4 3330L 120 - 277V 25W 4000K BAA Compliant	680
TDK1-1-24-UNVL-25-1-50	TDK Troffer Retrofit Kit 2X4 3520L 120 - 277V 25W 5000K	465
TDK1-1-24-UNVL-29-3-T	TDK Troffer Retrofit Kit 2X4 3900L 120 - 277V 29W 2700 - 6500K BLU Drive Driver	819
TDK1-1-24-UNVL-30-1-30	TDK Troffer Retrofit Kit 2X4 3680L 120 - 277V 30W 3000K	162
TDK1-1-24-UNVL-30-1-35	TDK Troffer Retrofit Kit 2X4 3800L 120 - 277V 30W 3500K	143
TDK1-1-24-UNVL-30-1-50	TDK Troffer Retrofit Kit 2X4 3910L 120 - 277V 30W 5000K	217
TDK1-1-24-UNVL-30-1-50 B	TDK Troffer Retrofit Kit 2X4 3830L 120 - 277V 30W 5000K BBU	3
TDK2-1-24-UNVL-25-1-40	TDK Troffer Retrofit Kit 2X4 3330L 120 - 277V 25W 4000K	3655
TDK2-1-24-UNVL-40-1-50	TDK Troffer Retrofit Kit 2X4 5200L 120 - 277V 40W 5000K	307
TDK-SMK-1-14	TDK/TEG Surface Mount Kit 1x4	120
TDK-SMK-1-22	TDK/TEG Surface Mount Kit 2x2	168
TDK-SMK-1-24	TDK/TEG Surface Mount Kit 2x4	2361
TEG1-1-22-UNVL-25-1-50	TEG Troffer Retrofit Kit 2X2 3330L 120 - 277V 25W 5000K	17
TEG1-1-24-UNVL-25-1-40 BAA	TEG Troffer Retrofit Kit 2X4 3330L 120 - 277V 25W 4000K BLU Drive Driver	10
TEG1-1-24-UNVL-25-1-50	TEG Troffer Retrofit Kit 2X4 3520L 120 - 277V 25W 5000K	91
TEG1-1-24-UNVL-25-1-50-B	TEG Troffer Retrofit Kit 2X4 3520L 120 - 277V 25W 5000K BBU	1
TEG1-1-24-UNVL-29-3-T	TEG Troffer Retrofit Kit 2X4 3900L 120 - 277V 29W 2700 - 6500K BLU Drive Driver	11
TEG1-1-24-UNVL-30-1-40	TEG Troffer Retrofit Kit 2X4 3830L 120 - 277V 30W 4000K	5
TEG1-1-24-UNVL-30-1-50	TEG Troffer Retrofit Kit 2X4 3910L 120 - 277V 30W 5000K	27
TEG1-1-22-UNVL-29-3-T	TEG Troffer New Construction 2x2 29W 3650 Lumens 2700-6500K 120-277V BLU Drive Dimmable 161,000 L70 DLC Premium 10-Year Warranty	8
TEG2-1-24-UNVL-25-1-40	TEG Troffer Retrofit Kit 2X4 3330L 120 - 277V 25W 4000K	8

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

L-Grid Edge Extreme Flat Panel



Catalog Number	Description	Quantity Available
FTR1-14-40-80-M-FTU-UNV2-1050	L-Grid Edge Extreme Recessed Flat Panel 1x4 4,500 L 41W 4000K Dimmable 200,000 Hrs Power Supply Included 10-Year Warranty	17
FTR2-14-UNVL-25-35-80	L-Grid Edge Extreme XL 1x4 Flat Panel 3385lm 25W 120-277V 3500K Dimming	95
FTR2-14-UNVL-25-40-80	L-Grid Edge Extreme XL 1x4 Flat Panel 3385lm 25W 120-277V 4000K Dimming	23
FTR2-14-UNVL-35-50-80	L-Grid Edge Extreme XL 1x4 Flat Panel 4345lm 35W 120-277V 5000K Dimming	16
FTR2-22-UNVL-40-35-80	L-Grid Edge Extreme XL 2x2 Flat Panel 4990lm 40W 120-277V 3500K Dimming	8
FTR2-22-UNVL-40-40-80	L-Grid Edge Extreme XL 2x2 Flat Panel 4990lm 40W 120-277V 4000K Dimming	12
FTR3-14-UNVL-26-SCCT	L-Grid Edge Extreme XL Select 1x4 Backlit Flat Panel 3561 - 5080L 120 - 277V 26 - 40W 3000 - 5000K	38
FTR3-24-UNVL-32-SCCT	L-Grid Edge Extreme XL Select 2X4 Backlit Flat Panel 4609 - 6957L 120 - 277V 31 - 48W 3000 - 5000K	3
FTR3-24-UNVL-32-SCCT BBU	L-Grid Edge Extreme XL Select 2X4 Backlit Flat Panel 4609 - 6957L 120 - 277V 31 - 48W 3000 - 5000K BBU	3

L-Grid3 Recessed Troffer



Catalog Number	Description	Quantity Available
GTR3-22-35-80-F-A-H-N	L-Grid3 New Build 2x2 5,100 L 51 W 120-277V 3500K Dimmable Flat Diffuser 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	8
GTR3-22-35-80-V-A-H-B	L-Grid3 New Build 2x2 5,100 L 51 W 120-277V 3500K Dimmable Volumetric Diffuser Battery Back-Up Included 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	2
GTR3-22-40-80-F-A-H-N	L-Grid3 New Build 2x2 5,400 L 51 W 120-277V 4000K Dimmable Flat Diffuser 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	2
GTR3-22-40-80-V-A-H-N	L-Grid3 New Build 2x2 5,400 L 51 W 120-277V 4000K Dimmable Volumetric Diffuser 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	15
GTR3-22-40-80-V-A-S-B	L-Grid3 New Build 2x2 3,800 L 33 W 120-277V 4000K Dimmable Volumetric Diffuser Battery Back-Up Included 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	4
GTR3-22-40-80-V-A-S-N	L-Grid3 New Build 2x2 3,800 L 33 W 120-277V 4000K Dimmable Volumetric Diffuser 200,000 Hrs DLC Listed NSF Listed 10-Year Warranty	3

Can Lights



Catalog Number	Description	Quantity Available
LTR2-1-UNV-35-12-5S-C-WH	L-Trim Sol 5" LED Square Can 3500K 12.3W 1260 Lumens 0-10V Dimming White New Build	39
LTR2-1-UNV-40-15-6R-C-WH	L-Trim Sol 6" LED Round Can 4000K 15.5W 1510 Lumens 0-10V Dimming White New Build	3
LTR3-1-UNV-40-18-6R-C-WH	L-TrimSol XL New Construction and Retrofit Applications 6" Round Can Light 1710lm 18.3W 120-277VAC 4000K Dimmable 5-Year Warranty	3
LTR3-1-UNV-50-37-10R-C-WH	L-TrimSol XL New Construction and Retrofit Applications 10" Round Can Light 3800lm 39.2W 120-277VAC 5000K Dimmable 5-Year Warranty	82
CLR62SWRVS9WH	6" LED Recessed Downlight Suitable for New Construction or Retrofit Applications 1,500 Lumens 16.4 Watts 4000K 120-347V	12
CLR8-10-UNV-50K-WH	8" LED Recessed Downlight Suitable for New Construction or Retrofit Applications 2,550 Lumens 25.7 Watts 120-277V	3
DCR4-106-120-5K-WH	4" LED Recessed Downlight Suitable for Retrofit 694 Lumens 8.4 Watts 120V 5000K White Finish	353
DCR56-112-120-5K-WH	6" LED Recessed Downlight Suitable for Retrofit Applications 1,291 Lumens 14.5 Watts 120V (Housing Required part# LT-6-HOU)	179
DLR56-3012-120-4K-WH	DLR56 1230 Lmns 120V 18w 4000K White	40
DLR56-3012-120-5K-WH	5" & 6" Recessed LED Downlight - 1200 Lumen (housing not included part# LT-6-HOU)	8
E4SF-XA3060DN	Flanged 4" Square Downlight - 1856lm 25W 3000K 120V 95 CRI 60 degree beam Non IC Airtight	65
E4SFB-LS	4" Square Downlight Trim - Flanged Bevel Lensed Satin Nickel	60
INF6/850DIM010UNV	6" LED Can Light Adjustable Lumen at 6W, 9W and 13W at 130 Lumens per Watt 5000K 120-277V 0-10V Dimming Retrofit or New Construction Wet Location 5-Year Warranty	48
INF8/835/DIM010UNV	8" LED Can Light Adjustable Wattage 1045/1475/2090 Lumen 8/12/17W 120-277V 3500K 0-10V Dimming Retrofit or New Construction Wet Location 5-Year Warranty	280
INF9.5/840/DIM010UNV	9.5" LED Can Light Adjustable Lumen at 2,100 / 2,600 / 3,500 lumens CRI 80 4000K 120-277V, 0-10V (Dimmable to 5%) Retrofit or New Construction Wet Location 5-Year	47
LEDRT56/R3C/900UD/9SC8	5/6" Round Generation 3C Can Light 12 W 900 L 120-277V 0-10V Dimming 75 Lumens per Watt Selectable CCT 3000K-5000K Energy Star Listed	200

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

PAR 30



Catalog Number	Description	Quantity Available
PAR30-1-D40-11-40	US LED Par 30 Bulb: 1,070 Lumen 4000K 10.8W 120V 40 Degree Beam Angle Black *Prelim Data*	2067

Decorative Pendants



Catalog Number	Description	Quantity Available
RFCP-1-UNVL-WH	LED Round Pendant 120-277V 5' Cord E26 Base A19 Bulb (not included) White Fabric	314
USCP-1-UNVL-SL BK	LED Cone Pendant 120-277V E26 Base A19 Bulb (not included) Silver Finish Black Cord	209
USDS-1-UNVL-A	LED Dome Sphere Pendant 120-277V E26 Base 5W G9 Lamps (not included) Anodized Aluminum	285
57856	A19 E26 Bulb 8.5W 120V 800 Lumen 2700K Dimmable	103
8.5A19DIM/830	8.5W A19 3000K Dimmable 60W Equivalent	36
G9/LED/4W/CL/120V/50K	LED G9 Light Bulb 500 lumens 60W 120V 5000K Super White Clear Finish	260

SGM1



Catalog Number	Description	Quantity Available
PSH1-1-P-I-W-4	SGM Indoor Driver Box White Plastic Cover 100W	40
SGM1-1-40-90-60	SGM Linear Strip Fixture 5' 1,100 L 12W 120-277V 4000K 7-Year Warranty *No Driver Included PSH1-1-P-I-W-4*	101

LMU1



Catalog Number	Description	Quantity Available
LMU1-1-12-36-40-80-Y6	LMU Undershelf Task Light 3' 1,350 L 13W 120V 4000K 80 CRI Integrated Occupancy Sensor 6 Minute Delay Power Source Not Included 7-Year Warranty	5348
PWW-1-24-20	Wall Mount AC Adapters Wall Plug-In Power Supply, Switch Mode, Fixed Blade, 100-240VAC Input, 24V Output, 0.50A, Positive, Level VI	1004

TCK Troffer Conversion Kit



Catalog Number	Description	Quantity Available
TCK1-1-2-UNVL-18-2-40	TCK Troffer Conversion Kit 2x2 2,360 L 18.5W 120-277V 4000K Dimmable 161,000 Hrs Diffused Lens Included 7-Year Warranty	476
TCK1-1-2-UNVL-25-2-40	TCK Troffer Conversion Kit 2x2 3,100 L 25.2W 120-277V 4000K Dimmable 161,000 Hrs Diffused Lens Included 7-Year Warranty	420
TCK1-1-4-UNVL-30-2-40	TCK Troffer Conversion Kit 2x4 3,830 L 30W 120-277V 4000K Dimmable 161,000 Hrs Diffused Lens Included 7-Year Warranty	16

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

PJF1 PJF2 Linear Strip



Catalog Number	Description	Quantity Available
PJF1-1-2-1-17-ID-40-D	PJF1 2' Strip Fixture Surface and Suspended 2340lm 16.7W 120-277VAC 4000K White Dimmable 10-Year Warranty	130
PJF1-1-2-X-17-ID-50-O	PJF1 2' Strip Fixture 2450 Lumens 16.5 Watt 120 Volt 5000K White	107
PJF1-1-4-1-25-ID-35-D	PJF1 4' Strip Fixture 3570 Lumens 25.3 Watt 120-277 Volt 3500K White Dimmable	6
PJF1-1-4-1-25-ID-40-D	PJF1 4' Strip Fixture Surface and Suspended 3600lm 25.3W 120-277VAC 4000K White Dimmable 10-Year Warranty	6
PJF1-1-4-1-25-ID-40-D 1	PJF1 4' Strip Fixture Surface and Suspended 3600lm 25.3W 120-277VAC 4000K White Dimmable With Sensor 10-Year Warranty	150
PJF1-1-4-1-25-ID-40-D 1 B	PJF1 4' Strip Fixture Surface and Suspended 3600lm 25.3W 120-277VAC 4000K White Dimmable With Integrated Battery Back Up With Sensor 10-Year Warranty	50
PJF1-1-4-1-25-ID-40-D HL	PJF1 4' Strip Fixture Surface and Suspended 3600lm 27W 120-277VAC 4000K White Dimmable 10-Year Warranty	180
PJF1-1-4-1-25-ID-50-D	PJF1 4' Strip Fixture Surface and Suspended 3660lm 25.3W 120-277VAC 5000K White Dimmable 10-Year Warranty	2
PJF1-1-4-1-30-B-T-D B	PJF1 4' Strip Fixture Surface and Suspended 4000lm 30W 120-277VAC 2700-6500K White Dimmable Smart Blu Integrated BBU 10-Year Warranty	6
PJF1-1-4-1-30-B-T-D B	PJF1 4' Strip Fixture Surface and Suspended 4000lm 30W 120-277VAC 2700-6500K White Dimmable Smart Blu Integrated BBU 10-Year Warranty	6
PJF1-1-4-1-35-ID-40-D	PJF1 4' Strip Fixture Surface and Suspended 4860lm 34.7W 120-277VAC 4000K White Dimmable 10-Year Warranty	78
PJF1-1-4-1-35-ID-50-D 1 B	PJF1 4' Strip Fixture 4860 Lumens 34.7 Watt 120-277V 5000K White With Integrated Battery Back Up With Sensor	4
PJF1-1-4-1-35-ID-50-D DH	PJF1 4' Strip Fixture Surface and Suspended 4860lm 34.7W 120-277VAC 5000K White Occ Sensor Daylight Harvesting Dimmable 10-Year Warranty	2
PJF1-1-4-X-35-ID-40-O	PJF1 4' Strip Fixture 4860 Lumens 34.7 Watt 120 Volt 4000K White	3
PJF1-1-8-1-60-B-T	PJF1 8' Strip Fixture 8680 Lumens 60 Watt 120-277 Volt 2700-6500K White Dimmable Blu-Drive	8
PJF1-1-8-1-60-ID-50-D	PJF1 8' Strip Fixture Surface and Suspended 8680lm 60W 120-277VAC 5000K White Dimmable 10-Year Warranty	12

Signage Solutions

LinearStar LED Sign Lighting



Catalog Number	Description	Quantity Available
SKT1-1-24-BK-1-30-90-L	1' Linear Star Sub Assembly Kit Left Unit 2.4W 190 Lumens 3000K 90 CRI Black	5
SKT1-1-24-BK-1-30-90-R	1' Linear Star Sub Assembly Kit Right Unit 2.4W 190 Lumens 3000K 90 CRI Black	5
SKT1-1-24-BK-4-30-90-C	4' Linear Star Sub Assembly Kit Center Unit 9.6W 760 Lumens 3000K 90 CRI Black	2
SKT1-1-37-SL-1-50-80-L	Linear Star Outdoor Sign Lighting and Wall Washer 1' 340 L 3.7W 120-277V 5000K 80 CRI Left Unit 163,000 L70 Silver Need Mount, Driver and Cable 5-Year Warranty	11
SKT1-1-37-SL-1-50-80-R	Linear Star Outdoor Sign Lighting and Wall Washer 1' 340 L 3.7W 120-277V 5000K 80 CRI Right Unit 163,000 L70 Silver Need Mount, Driver and Cable 5-Year Warranty	3
SKT1-1-37-SL-4-50-80-C	Linear Star Outdoor Sign Lighting and Wall Washer 4' 1,350 L 14.8W 120-277V 5000K 80 CRI Center Unit 163,000 L70 Silver Need Mount, Driver and Cable 5-Year Warranty	66
SMT1-1-SL-18	Linear Star Mounting Kit 18 Degree Angle 6' to 10' Silver	72
SMT1-1-SL-22	Linear Star Mounting Kit 22 Degree Angle 4' to 6' Silver	3
SMT1-2-BK-22	Linear Star Mounting Kit 22 Degree Angle Black For 4' to 6' Monument Sign Height	1391

PDX Modules



Catalog Number	Description	Quantity Available
PDX1-2-12-B	PDX Module Blue 8.5 Lumens 1.15 Watt High Flux 2 Modules per Foot	3194
PDX1-2-12-G	PDX Module Green 27.5 Lumens 0.36 Watt High Flux 2 Modules per Foot	5280
PDX1-2-12-O	PDX Module Orange 30 Lumens 1.45 Watt High Flux 2 Modules per Foot	400
PDX1-2-12-50	PDX Module 85L 12V 1W 5000K High Flux 2 Modules per ft	472
PDX1-2-12-65	PDX Module 90L 12V 1W 6500K High Flux 2 Modules per ft	277

Essential Lighting Solutions | Hot Sheet Stock Report | Updated 01-15-2026

Point XL & XLP



Catalog Number	Description	Quantity Available
PXL-2-12-W40	Point XL Module 100 Lumen 1W 12V 4000K 1.5 Modules Per Foot	1462
PXL-2-12-W50	Point XL Module 100 Lumen 1W 12V 5000K 1.5 Modules Per Foot	1340
PXLP-2-12-W50	Point XLP Module Channel Letter Lighting 100L 12V 1W 5000K 1.5 Modules per ft	3420

Saver XL



Catalog Number	Description	Quantity Available
SXL-1-12-W40	Saver XL Module Channel Letter Lighting 50L 12V 1W 4000K 2 Modules per ft	952
SXL-1-12-W50	Saver XL Module Channel Letter Lighting 50L 12V 1W 5000K 2 Modules per ft	9216
SXL-1-12-G	Saver XL Module Channel Letter Lighting 12V 1W 2 Modules per ft Green	1500
SXL-1-12-O	Saver XL Module Channel Letter Lighting 12V 1W 2 Modules per ft Orange	1270
SXL-1-12-R	Saver XL Module Channel Letter Lighting 12V 1W 2 Modules per ft Red	1115

TX1 Custom and Tube Length Kits



Catalog Number	Description	Quantity Available
TX1-6-24-D-8-48-65	TDX Sign Cabinet Lighting Retrofit Kit 4' 6500K 8 Modules Double Sided	13
TX1-6-24-D-8-60-50	TDX Sign Cabinet Lighting Retrofit Kit 57.91" 5000K 8 Modules Double Sided	6
TX1-6-24-D-8-72-50	TDX Sign Cabinet Lighting Retrofit Kit 69.91" 5000K 8 Modules Double Sided	2
TX1-6-24-S-2-30-65	TDX Sign Cabinet Lighting Retrofit Kit 27.91" 6500K 2 Modules Single Sided	5
TX1-6-24-S-4-48-65	TDX Sign Cabinet Lighting Retrofit Kit 4' 6500K 4 Modules Single Sided	17
TX1-6-24-S-4-72-50	TDX Sign Cabinet Lighting Retrofit Kit 69.91" 5000K 4 Modules Single Sided	12
TX1-6-24-S-5-84-50	TDX Sign Cabinet Lighting Retrofit Kit 81.91" 5000K 5 Modules Single Sided	8
TX1-6-24-S-6-96-50	TDX Sign Cabinet Lighting Retrofit Kit 93.91" 5000K 6 Modules Single Sided	8
TX1L-1-24-D-3-42-W	TX1L Sign Cabinet Lighting Retrofit Kit 42" 2400L 24V 6500K 3 Modules Double Sided	12
TX1L-1-24-D-4-60-W	TX1L Sign Cabinet Lighting Retrofit Kit 60" 3200L 24V 6500K 4 Modules Double Sided	10
TX1L-1-24-D-5-72-W	TX1L Sign Cabinet Lighting Retrofit Kit 72" 4000L 24V 6500K 5 Modules Double Sided	48
TX1L-1-24-D-6-84-W	TX1L Sign Cabinet Lighting Retrofit Kit 84" 4800L 24V 6500K 6 Modules Double Sided	5
TX1L-1-24-D-6-96-W	TX1L Sign Cabinet Lighting Retrofit Kit 96" 4800L 24V 6500K 6 Modules Double Sided	40
TX1L-1-24-S-4-48-W	TX1L Sign Cabinet Lighting Retrofit Kit 48" 1600L 24V 6500K 4 Modules Single Sided	9
TX1L-4-24-D-4-48-W	TX1L Sign Cabinet Lighting Retrofit Kit 48" 24V 6500K 4 Modules Double Sided	4
TX1L-4-24-D-4-48-W50	TX1L Sign Cabinet Lighting Retrofit Kit 48" 24V 5000K 4 Modules Double Sided	47
TX1L-4-24-S-4-48-W	TX1L Sign Cabinet Lighting Retrofit Kit 48" 24V 6500K 4 Modules Double Sided	3