

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**Exterior Lighting Solutions**

**Dorado XLR Area/Site**



Catalog Number	Description	Quantity Available
QDXLR-120-50-UNVL-1-5-N-Z5	Dorado XLR   Area Light   15,000 L   125W   120-277V   5000K   5M Lens   L70 > 125,000 Hrs   Bronze Fixture Color   No Mount Included   5-Year Warranty	3153

**Dorado XLP Area/Site**



Catalog Number	Description	Quantity Available
QDXLP1-24-50-UNVL-1-3-N-Z1	Dorado XLP   Area Light   33,000lm   222W   120-277VAC   5000K   3M Lens   Bronze   No Sensor   Slip fitter Mount for 2 3/8" Round Tenon   10-Year Warranty	10
QDXLP1-32-40-UNVL-1-5-N-Z3	Dorado XLP   Area Light   44,300lm   307W   120-277VAC   4000K   5M Lens   Bronze   No Sensor   Pole Mount for Square Pole   10-Year Warranty	50
QDXLP1-32-50-UNVL-2-5-N-Z3	Dorado XLP   Area Light   45,400lm   307W   120-277VAC   5000K   5M Lens   White   Pole Mount for Square Pole   10-Year Warranty	8
QDXLP1-50-30-UNVL-1-5-N-Z3	Dorado XLP   Area Light   68,100lm   458W   120-277VAC   3000K   5M Lens   Bronze   No Sensor   Pole Mount for Square Pole   10-Year Warranty	33
QDXLP1-50-50-UNVL-1-5-N-Z1	Dorado XLP   Area Light   68,100lm   458W   120-277VAC   5000K   5M Lens   Bronze   No Sensor   Slip-fitter Mount for 2-3/8" Round Tenon   10-Year Warranty	12
QDXLP1-50-50-UNVL-2-5-N-Z3	Dorado XLP   Area Light   68,100lm   458W   120-277VAC   5000K   5M Lens   White   No Sensor   Pole Mount for Square Pole   10-Year Warranty	10

**QubeFlood Area/Site**



Catalog Number	Description	Quantity Available
QF4-1-UNVL-5-50-100	QubeFlood4 Luminaire: 11,650 Lumen   5000K   93W   120/277V   5M Lens   1000mA   Bronze	10
QF3-1-UNVH-2S-50-1050	QubeFlood3   10,000L   102W   347 - 480 V   2S Lens   Bronze	8
QF3-1-UNVL-2S-50-1050	QubeFlood3   10,000L   100W   120 - 277   Type 2S   Bronze	98
QF3-1-UNVL-5S-50-1050	QubeFlood3   Bronze   Low Voltage   5S Lens	6
QF3-2-UNVH-5S-50-1050	QubeFlood3   10,000L   102W   347 - 480V   Type 5S   White	40
QF3-3-UNVL-5S-50-1050	QubeFlood3   Black   Low Voltage   5S Lens	2

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**QubeLot Area/Site**



Catalog Number	Description	Quantity Available
QL3-BZ-UNVL-3-5-50-11-100	QubeLot3   12,770 Lumens   5000K   102W   120/277V   Bronze   1000mA   3 Qube	2
QL3-BZ-UNVL-3-5-50-15-100	QubeLot3   17,410 Lumens   5000K   138W   120/277V   Bronze   1000mA   3 Qube	10
QL3-GN-UNVH-4-5-40-15-115	QubeLot3   25,000 Lumens   4000K   220W   347/480V   Green RAL 6029   1150mA   4 Qube	20

**QubePAK Regal3**



Catalog Number	Description	Quantity Available
WPR3-UNVL-100-2-40-BZ	QubePAK Regal 3   Wall Mount   13,000lm   100W   120-277VAC   4000K   Type 2 Lens   Dimmable   Bronze   10-Year Warranty	9
WPR3-UNVL-100-2-50-BZ	QubePAK Regal 3   Wall Mount   13,000lm   100W   120-277VAC   5000K   Type 2 Lens   Dimmable   Bronze   10-Year Warranty	53
WPR3-UNVL-100-4-30-BZ	QubePAK Regal 3   Wall Mount   13,000lm   100W   120-277VAC   3000K   Type 4 Lens   Dimmable   Bronze   10-Year Warranty	4
WPR3-UNVL-100-4-40-BZ	QubePAK Regal 3   Wall Mount   13,000lm   100W   120-277VAC   4000K   Type 4 Lens   Dimmable   Bronze   10-Year Warranty	22
WPR3-UNVL-37-2-30-BZ	QubePAK Regal 3   Wall Mount   4701lm   37W   120-277VAC   3000K   Type 2 Lens   Non-Dimmable   Bronze   10-Year Warranty	70
WPR3-UNVL-58-2-40-BZ	QubePAK Regal 3   Wall Mount   7695lm   58W   120-277VAC   4000K   Type 2 Lens   Dimmable   Bronze   10-Year Warranty	3
WPR3-UNVL-58-4-40-BZ	QubePAK Regal 3   Wall Mount   7695lm   58W   120-277VAC   4000K   Type 4 Lens   Dimmable   Bronze   10-Year Warranty	50

**Decorative WallPack**



Catalog Number	Description	Quantity Available
3-4046D-05-50	Wall Mount Up/Down Outdoor Cylinder LED Fixture   1330 Lumen   16W   120-277V   5000K   Black Fixture Color	144
3-5046D-05-3000K	Wall Mount Up/Down Outdoor Cylinder LED Fixture   3200 Lumen   34W   120-277V   Black Fixture Color	12

**QubePark Garage/Canopy**



Catalog Number	Description	Quantity Available
QG2-1-UNVL-2-5M-52-0	QubePark - Parking Garage Fixture - Low Voltage	49

**Canopy Star XL**



Catalog Number	Description	Quantity Available
GCL1-07-UNVL-50-F-WH	Canopy Star XL LED Gas Canopy Light   11,314lm   73W   120-277VAC   5000K   Frosted Lens   Dimmable   White   DLC Premium   10-Year Warranty	78
GCL1-15-UNVL-50-F-WH	Canopy Star XL LED Gas Canopy Light   22,831lm   152W   120-277VAC   5000K   Frosted Lens   Dimmable   White   DLC Premium   10-Year Warranty	36

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**Interior Lighting Solutions**

**LSF1 Wrap Fixture**



Catalog Number	Description	Quantity Available
LSF1-1-4-UNVL-25-2-40	LSF1   4' LED Wrap Around Fixture   Surface and Suspended   3350lm   25W   120-277VAC   4000K   10-Year Warranty	320
LSF1-1-4-UNVL-29-3-T	LSF1   4' LED Wrap Around Fixture   Surface and Suspended   3900lm   29W   120-277VAC   2700-6500K   Smart Blu   10-Year Warranty	26
LSF1-1-4-UNVL-30-2-40	LSF1   4' LED Wrap Around Fixture   Surface and Suspended   3980lm   28.8W   120-277VAC   4000K   10-Year Warranty	194
LSF1-1-8-UNVL-50-2-40	LSF1   8' LED Wrap Around Fixture   Surface and Suspended   6700lm   51.1W   120-277VAC   4000K   10-Year Warranty	2
LSF1-1-8-UNVL-50-3-T	8' LED Wrap Around Fixture   50W   6500 Lumens   2700-6500K   120-277V   Blu-Drive	13
LSF1-2-4-UNVL-25-2-40	LSF1   4' LED Wrap Around Fixture   Surface and Suspended   14" Wide   3350lm   25W   120-277VAC   4000K   10-Year Warranty	163

**EcoStar3 Cabinet & Display & EcoStar4 Refrigeration Lighting**



Catalog Number	Description	Quantity Available
ESRP-4EH-1-10-24-6-40-D10-C	EcoStar 4EH   Refrigeration Display Luminaire   6-Foot Length   1,524 L   11W   24V   4000K   10" Lense   Center Unit   Dimmable   10-Year Warranty	16
ESRP-4EH-1-4-24-5-50-D10-C	EcoStar 4EH   Refrigeration Display Luminaire   5-Foot Length   1,200 L   9W   24V   5000K   4" Lense   Center Unit   Dimmable   10-Year Warranty	10

**Bayline High Bay**



Catalog Number	Description	Quantity Available
BLN1-1-UNVL-50-70-B-90-S1	BayLine   High Bay   15,000 L   100 W   120-277 V   5000 K   90-Degree Lens   Dimmable   Integrated Motion/Photocell Sensor   10-Year Warranty	3
BLN1-1-UNVL-50-70-M-120-S1	BayLine   High Bay   31,000 L   205 W   120-277 V   5000 K   120-Degree Lens   Dimmable   Integrated Motion/Photocell Sensor   10-Year Warranty	18

**Exsabay XLE High Bay**



Catalog Number	Description	Quantity Available
EBXLE1-1-UNVL-110-40-E-Y-N	ExsaBay XLE   High Bay Luminaire   24150L   120 - 277V   161W   4000K   110 - Degree   Motion Sensor   10' Black Power Cord	3
EBXLE1-1-UNVL-90-50-C-N-N	ExsaBay XLE   High Bay Luminaire   15150L   120 - 277V   101W   5000K   90 - Degree   10' Black Power Cord	5
EBXLE1-1-UNVL-90-50-C-N-N A004	ExsaBay XLE   High Bay Luminaire   8000L   120 - 277V   53W   5000K   90 - Degree   10' Black Power Cord	7
EBXLE1-1-UNVL-90-50-C-Y-N	ExsaBay XLE   High Bay Luminaire   15150L   120 - 277V   101W   5000K   90 - Degree   Motion Sensor   10' Black Power Cord	16
EBXLE1-1-UNVL-90-50-E-N-N	ExsaBay XLE   High Bay Luminaire   24150L   120 - 277V   161W   5000K   90 - Degree   10' Black Power Cord	28
EBXLE1-1-UNVL-90-50-F-N-N	ExsaBay XLE   High Bay Luminaire   30150L   120 - 277V   201W   5000K   90 - Degree   10' Black Power Cord	5
EBXLE1-1-UNVL-90-50-F-N-Y	ExsaBay XLE   High Bay Luminaire   30150L   120 - 277V   201W   5000K   90 - Degree   BBU   10' Black Power Cord	12
EBXLE1-1-UNVL-90-50-J-N-N	ExsaBay XLE   High Bay Luminaire   58550L   120 - 277V   401W   5000K   90 - Degree   10' Black Power Cord	2
EBXLE1-1-UNVL-90-50-K-N-N	ExsaBay XLE   High Bay Luminaire   72150L   120 - 277V   481W   5000K   90 - Degree   10' Black Power Cord	5
EBXLE1-TL	ExsaBay XLE1 Twist Lock	180
EBXLE1-WG-1	ExsaBay XLE   Wire Guard   For 15150L Fixture   101W	20
EBXLE1-WG-2	ExsaBay XLE   Wire Guard   For 24150 and 30150L Fixture   201 and 161W	60

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**LED Tubes**



Catalog Number	Description	Quantity Available
ST1-1-UNV-4-H-40-TWS1	Kitted: (1) TwinStar   Part# TWS1   TwinStar Strip   48"   (2) LED Tubes   Part# ST1-1-UNV-4-H-40   T8 Type B LED Tube   Single-End   4'   4070L   100-277V   32W   4000K	29
ST1-1-UNV-4-S-35	LED Tube   21W   2,200 Lumen   3500K   100-277V	149
ST1-2-UNV-2-9A-50	LED Tube   2' Single-Ended Type B Tube   1,100 L   9W   120-277V   5000K	24
ST1-2-UNV-3-9A-50	LED Tube   3' Single-Ended Type B Tube   1,390 L   10W   120-277V   5000K	182
ST1-2-UNV-4-12A-35	4' LED Tube   12.1W   1,800 Lumen   3500K   100-277V   Includes Wire	6508
ST1-4-UNV-4-12A-35	4' LED Tube   12.9W   1,820 Lumen   3500K   100-277V	140
ST1-4-UNV-4-17B-40	T10 Type B LED Tube   Single Ended   4'   2720L   120 - 277V   17W   4000K	526
ST1-7-UNV-4-10A-35-GL	T8 Type B LED Tube   Single Ended   4'   1800L   120 - 277V   10W   3500K   Glass	1109
ST1-7-UNV-4-10A-40-GL	T8 Type B LED Tube   Single Ended   4'   1800L   120 - 277V   10W   4000K   Glass	38355
ST1-7-UNV-4-11A-35-GL	T8 Type B LED Tube   Single Ended   4'   1750L   120 - 277V   11W   3500K   Glass	33638
ST1-7-UNV-4-12A-35	T8 Type B LED Tube   Single Ended   4'   1750L   120 - 277V   12W   3500K	1766
ST1-7-UNV-4-13A-50	T8 Type B LED Tube   Single Ended   4'   1750L   120 - 277V   14W   5000K	308
ST3-1-4-11A-50-P-DE-T5	T5 Type A/B LED Tube   Double Ended   4'   1800L   120 - 277V   11W   5000K	5396
ROS1804T832WALUS-5PK	*5pk* 1x8 four light recessed F32 offset ballast cover retrofit: (1) offset bracket -(4) 1/4 turns -(10) screws -(8) unshunted sockets -(2) End cover plates -(2) 4' Ballast covers	240
LS-WG-48	T8 Linear Wire Guard For Lone Star - TXS132X1FF Fixture	533
ROS-18-04-US	Recessed Retrofit Kit 2 lamps to 4 lamps w/ unshunted tombstones   (Case Qty 5)	108
KT-LED12T5HE-36GC-850-DX2	12W T5 LED   1600lm   12W   120-277V   5000K   Single- or Double-Ended Wiring	13
L16-T5-SE-3-40CG	16W, LED Linear   T5 tube   Single-Ended Power   3FT   4000K, Coated Glass	237
L16T5SE335-CG	16W   LED Linear   T5 tube   Single-Ended Power   3FT   3500K   Coated Glass	5
L16T5SE350-CG	16W, LED Linear   T5 tube   Single-Ended Power   3FT   5000K   Coated Glass	50
LED11T5HEL36FG850BF	T5HE Double Ended Lamp   1500lm   11W   120-277V   5000K   3ft	22
L24T8/835/9G-ID DE	T8 tube   24"   9w   internal driver   double end input   120-277V   3500K   1100 Lms	51
97894	T8  3500K   3 Foot   Medium Bi-Pin G13	3
L48T8/835/15G-XT	T8 tube   48"   15w   3500K   1800 Lms	348
10924	LED T8 Dual Mode U-Bend Replacement Lamp   1" U-Bend   4000K   2000 Lumens   13W   120-277V	80

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**LED Bulbs**



Catalog Number	Description	Quantity Available
A15FR5/830/OMNI2/LED 80197	LED A15 5.5W 3000K DIMMABLE E26 ProLED	8
S9031	LED Frosted   A15  E26  450 Lumen   5.5 Watt   120V   3000K   Damp Rating   5 Year Limited - 10 hr per day   25000 Hours Rated  Type A	694
57856	A19 E26 Bulb   8.5W   120V   800 Lumen   2700K   Dimmable	103
79702	Sylvania 79702 - LED8.5A19F83510YVRP A19 A Line Pear LED Light Bulb	16
8.5A19DIM/830	8.5W A19   3000K   Dimmable   60W Equivalent	36
40773	Type: BR30   E26 Base   8W   120V   Color: 4000 K   Dimmable	123
LED9BR30D50K	Dimmable 9W Smooth BR30 - 5000K	91
S8021	LED Filament Bulb   100 Lumen   1 Watt   120V   2700K   Suitable for Outdoor Use   3 Year Warranty	73
6.5MRGD930NF/JA8/G2	MR16 GU10 LED Bulb   500 Lumen   6.5W   120V   3000K   90CRI   25 Degree Beam Angle	11
98089	98088  37HID LED  E26 Base   37w   120-277v   5000K   5200 Lmns   Non-Dimmable	136
70046-900-000	70046   Medium Base  One-Piece Keyless HID   Glazed Porcelain Lampholder   Incandescent   Single Circuit   Side Wired 4KV-Pulse Rated - White	547
LH0291	E26/E27 medium base lampholder extender, extends lamp approx. 1 1/4"	2473
LH0682-E39	medium base to E39 mogul base lamp holder/socket reducer	220
HM00910	Adapter Converter Socket   4-Pin G24q/GX24q to Medium Screw (E26)	192
LED-7319	LED-7319   socket extender	49
7.5MR16DIM/940FL35/R	MR16  7.5W   4000K   550 Lmns   Base GU5.3   12V   Dimmable	7
11PAR30DIM/930NF25	E26 Base  75W  11W  3000K  900L   120V  Suitable to replace 50W, 75W, 120W halogen lamps	36
11PAR30DIM/940FL40	11W PAR30   4000K   40 Degree Flood   1030 Lumens   120V Dimmable   75W Equivalent	12
12.5PAR30G4DIM/930NF25/B	12.5W PAR30   3000K   25 Degree Spot   Dimmable   75W Equivalent   Black	5
12PAR30L/AMB/F40/840/DIM ULW	4000K Lamp  12W   E26 Base   Beam angle 40°	8
74603	Par 30   11 watt   5000K   850 Lumens	23
97902	Power: 13 W   Warm White 3000K   CRI 90   65/90   Lumens 1050   LPW 81   Beam Angle FL 40 Degrees   CBCP 2300   **BLACK LAMP**	6
AKTGP30BL	Par30 Short, Gimbal Ring - Prescolite - Black	48
PAR30FL11L/930/BH/LED	PAR30 Long Neck   Medium Base   PAR30FL11L/930/BH/LED   Black Housing   Dimmable   120V   3000K   90 CRI   800 Lumens   40 Degree Spread   75W	438
74950	LED16PAR38/DIM/850/FL40/13Y/GL/WRP	386
14.5PLH/840/DIR	4 Pin LED PL Lamp   1,750 Lumen   14.5W   4000K   Ballast Compatible   0-10V Dimming   G24q/GX24q Base	440
9.5PLO/840/DIR	Omni Directional LED Lamp   Electronic Ballasts   120-277V  4000K   1,200 Lumens	11
98248	17PLV/830/DIR   42W  1900L   120-277V  3000K	8
98249	42W   120-277V   1900L   3500K   82 CRI   112 Efficacy   120 degree beam angle   Dimmable   50,000Hr Life	32
98253	15.5 PLH   3500K  1750 Lumens  120-277V	39
98257	16.5PLV/835/BYP   1850lm   16.5W   120-277V   3500K   BYPASS G24d, GX24d, G24q & GX24q (2/4-pin CFL)	34
98399	8W   2700K  80CRI   870 Lumens   120-277V	24
HN-V-G24Q-B-11W-835-G4	Helen Lamp   Vertical   4-pin CFL Socket   11W   3500K	27
L10V/841/BYP/LED	L10V/841/BYP/LED   120-277   4100K   Lumens 1000   watts 26/32/42	50
1408992	10PUBGULED27   10W   800 Lmns   2700K   Base GU24   Puck Lamp	6
LED-7318-35A	LED-7318-35A   12W   1157 Lmns   3500K   Non Dimmable	100



Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026

TDK/TEG Retrofit Troffer Kit



Catalog Number	Description	Quantity Available
TDK1-1-14-UNVL-25-1-35	TDK   Troffer Retrofit Kit   1x4   3230L   120 - 277V   25W   3500K	30
TDK1-1-14-UNVL-25-1-40	TDK   Troffer Retrofit Kit   1x4   3390L   120 - 277V   25W   4000K	487
TDK1-1-14-UNVL-25-1-40 B	TDK   Troffer Retrofit Kit   1x4   3390L   120 - 277V   25W   4000K   BBU	7
TDK1-1-14-UNVL-25-1-50	TDK   Troffer Retrofit Kit   1x4   3320L   120 - 277V   25W   5000K	45
TDK1-1-14-UNVL-30-1-30	TDK   Troffer Retrofit Kit   1x4   3760L   120 - 277V   30W   3000K	25
TDK1-1-14-UNVL-30-1-40	TDK   Troffer Retrofit Kit   1x4   3910L   120 - 277V   30W   4000K	353
TDK1-1-14-UNVL-30-1-50	TDK   Troffer Retrofit Kit   1x4   3980L   120 - 277V   30W   5000K	277
TDK1-1-22-UNVL-21-1-40	TDK   Troffer Retrofit Kit   2X2   2600L   120 - 277V   21W   4000K	14
TDK1-1-22-UNVL-29-3-T	TDK   Troffer Retrofit Kit   2X2   3650L   120 - 277V   29W   2700 - 6500K   BLU Drive Driver	54
TDK1-1-22-UNVL-30-1-30	TDK   Troffer Retrofit Kit   2X2   3880L   120 - 277V   30W   3000K	5
TDK1-1-24-UNVL-25-1-40	TDK   Troffer Retrofit Kit   2X4   3330L   120 - 277V   25W   4000K	1178
TDK1-1-24-UNVL-25-1-40 BAA	TDK   Troffer Retrofit Kit   2X4   3330L   120 - 277V   25W   4000K   BAA Compliant	680
TDK1-1-24-UNVL-25-1-50	TDK   Troffer Retrofit Kit   2X4   3520L   120 - 277V   25W   5000K	465
TDK1-1-24-UNVL-29-3-T	TDK   Troffer Retrofit Kit   2X4   3900L   120 - 277V   29W   2700 - 6500K   BLU Drive Driver	812
TDK1-1-24-UNVL-30-1-30	TDK   Troffer Retrofit Kit   2X4   3680L   120 - 277V   30W   3000K	162
TDK1-1-24-UNVL-30-1-35	TDK   Troffer Retrofit Kit   2X4   3800L   120 - 277V   30W   3500K	143
TDK1-1-24-UNVL-30-1-50	TDK   Troffer Retrofit Kit   2X4   3910L   120 - 277V   30W   5000K	205
TDK1-1-24-UNVL-30-1-50 B	TDK   Troffer Retrofit Kit   2X4   3830L   120 - 277V   30W   5000K   BBU	3
TDK2-1-24-UNVL-25-1-40	TDK   Troffer Retrofit Kit   2X4   3330L   120 - 277V   25W   4000K	3655
TDK2-1-24-UNVL-40-1-50	TDK   Troffer Retrofit Kit   2X4   5200L   120 - 277V   40W   5000K	307
TDK-SMK-1-14	TDK/TEG   Surface Mount Kit   1x4	120
TDK-SMK-1-22	TDK/TEG   Surface Mount Kit   2x2	168
TDK-SMK-1-24	TDK/TEG   Surface Mount Kit   2x4	2361
TEG1-1-22-UNVL-25-1-50	TEG   Troffer Retrofit Kit   2X2   3330L   120 - 277V   25W   5000K	17
TEG1-1-24-UNVL-25-1-40 BAA	TEG   Troffer Retrofit Kit   2X4   3330L   120 - 277V   25W   4000K   BLU Drive Driver	10
TEG1-1-24-UNVL-25-1-50	TEG   Troffer Retrofit Kit   2X4   3520L   120 - 277V   25W   5000K	91
TEG1-1-24-UNVL-29-3-T	TEG   Troffer Retrofit Kit   2X4   3900L   120 - 277V   29W   2700 - 6500K   BLU Drive Driver	11
TEG1-1-24-UNVL-30-1-40	TEG   Troffer Retrofit Kit   2X4   3830L   120 - 277V   30W   4000K	5
TEG1-1-24-UNVL-30-1-50	TEG   Troffer Retrofit Kit   2X4   3910L   120 - 277V   30W   5000K	27
TEG1-1-22-UNVL-29-3-T	TEG   Troffer   New Construction   2x2   29W   3650 Lumens   2700-6500K   120-277V   BLU DRiVe Dimmable   161,000 L70   DLC Premium   10-Year Warranty	8
TEG2-1-24-UNVL-25-1-40	TEG   Troffer Retrofit Kit   2X4   3330L   120 - 277V   25W   4000K	8

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**L-Grid Edge Extreme Flat Panel**



Catalog Number	Description	Quantity Available
FTR1-14-40-80-M-FTU-UNV2-1050	L-Grid Edge Extreme   Recessed Flat Panel   1x4   4,500 L   41W   4000K   Dimmable   200,000 Hrs   Power Supply Included   10-Year Warranty	17
FTR2-14-UNVL-25-35-80	L-Grid Edge Extreme XL 1x4 Flat Panel   3385lm   25W   120-277V   3500K   Dimming	95
FTR2-14-UNVL-25-40-80	L-Grid Edge Extreme XL 1x4 Flat Panel   3385lm   25W   120-277V   4000K   Dimming	23
FTR2-14-UNVL-35-50-80	L-Grid Edge Extreme XL 1x4 Flat Panel   4345lm   35W   120-277V   5000K   Dimming	16
FTR2-22-UNVL-40-35-80	L-Grid Edge Extreme XL 2x2 Flat Panel   4990lm   40W   120-277V   3500K   Dimming	8
FTR2-22-UNVL-40-40-80	L-Grid Edge Extreme XL 2x2 Flat Panel   4990lm   40W   120-277V   4000K   Dimming	12
FTR3-14-UNVL-26-SCCT	L-Grid Edge Extreme XL Select   1x4 Backlit Flat Panel   3561 - 5080L   120 - 277V   26 - 40W   3000 - 5000K	38
FTR3-24-UNVL-32-SCCT	L-Grid Edge Extreme XL Select   2X4 Backlit Flat Panel   4609 - 6957L   120 - 277V   31 - 48W   3000 - 5000K	3
FTR3-24-UNVL-32-SCCT BBU	L-Grid Edge Extreme XL Select   2X4 Backlit Flat Panel   4609 - 6957L   120 - 277V   31 - 48W   3000 - 5000K   BBU	3

**L-Grid3 Recessed Troffer**



Catalog Number	Description	Quantity Available
GTR3-22-35-80-F-A-H-N	L-Grid3   New Build   2x2   5,100 L   51 W   120-277V   3500K   Dimmable   Flat Diffuser   200,000 Hrs   NSF Listed   10-Year Warranty	8
GTR3-22-35-80-V-A-H-B	L-Grid3   New Build   2x2   5,100 L   51 W   120-277V   3500K   Dimmable   Volumetric Diffuser   Battery Back-Up Included   200,000 Hrs   NSF Listed   10-Year Warranty	2
GTR3-22-40-80-F-A-H-N	L-Grid3   New Build   2x2   5,400 L   51 W   120-277V   4000K   Dimmable   Flat Diffuser   200,000 Hrs   NSF Listed   10-Year Warranty	2
GTR3-22-40-80-V-A-H-N	L-Grid3   New Build   2x2   5,400 L   51 W   120-277V   4000K   Dimmable   Volumetric Diffuser   200,000 Hrs   NSF Listed   10-Year Warranty	15
GTR3-22-40-80-V-A-S-B	L-Grid3   New Build   2x2   3,800 L   33 W   120-277V   4000K   Dimmable   Volumetric Diffuser   Battery Back-Up Included   200,000 Hrs   NSF Listed   10-Year Warranty	4
GTR3-22-40-80-V-A-S-N	L-Grid3   New Build   2x2   3,800 L   33 W   120-277V   4000K   Dimmable   Volumetric Diffuser   200,000 Hrs   NSF Listed   10-Year Warranty	3

**Can Lights**



Catalog Number	Description	Quantity Available
LTR2-1-UNV-35-12-5S-C-WH	L-Trim Sol   5" LED Square Can   3500K   12.3W   1260 Lumens   0-10V Dimming   White   New Build	39
LTR2-1-UNV-40-15-6R-C-WH	L-Trim Sol   6" LED Round Can   4000K   15.5W   1510 Lumens   0-10V Dimming   White   New Build	3
LTR3-1-UNV-40-18-6R-C-WH	L-TrimSol XL   New Construction and Retrofit Applications   6" Round Can Light   1710lm   18.3W   120-277VAC   4000K   Dimmable   5-Year Warranty	3
LTR3-1-UNV-40-28-8R-C-WH	L-TrimSol XL   New Construction and Retrofit Applications   8" Round Can Light   2960lm   29.4W   120-277VAC   4000K   Dimmable   5-Year Warranty	2
LTR3-1-UNV-50-37-10R-C-WH	L-TrimSol XL   New Construction and Retrofit Applications   10" Round Can Light   3800lm   39.2W   120-277VAC   5000K   Dimmable   5-Year Warranty	69
CLR62SWRVS9WH	6" LED Recessed Downlight Suitable for New Construction or Retrofit Applications   1,500 Lumens   16.4 Watts   4000K   120-347V	12
DCR4-106-120-5K-WH	4" LED Recessed Downlight Suitable for Retrofit   694 Lumens   8.4 Watts   120V   5000K   White Finish	353
DCR56-112-120-5K-WH	6" LED Recessed Downlight Suitable for Retrofit Applications   1,291 Lumens   14.5 Watts   120V (Housing Required part#LT-6-HOU)	179
DLR56-3012-120-4K-WH	DLR56   1230 Lmns   120V   18w   4000K   White	40
E4SF-XA3060DN	Flanged 4" Square Downlight - 1856lm   25W   3000K   120V   95 CRI   60 degree beam   Non IC Airtight	65
E4SFB-LS	4" Square Downlight Trim - Flanged   Bevel   Lensed   Satin Nickel	60
INFT6/850DIM010UNV	6" LED Can Light   Adjustable Lumen at 6W, 9W and 13W at 130 LPW   5000K   120-277V   0-10V Dim   Retrofit or New Construction   Wet Location   5-Year Warranty	48
INFT8/835/DIM010UNV	8" LED Can Light   Adjustable Wattage   1045/1475/2090 Lumen   8/12/17W   120-277V   3500K   0-10V Dim   Retrofit or New Construction   Wet Location   5-Year Warranty	280
INFT9.5/840/DIM010UNV	9.5" LED Can Light   Adjustable Lumen at 2,100 / 2,600 / 3,500 lumens   CRI 80   4000K   120-277V, 0-10V   Retrofit or New Construction   Wet Location   5-Year Warranty	47
LEDRT56/R3C/900UD/9SC8	5/6" Round Generation 3C Can Light   12 W   900 L   120-277V   0-10V Dimming   75 Lumens per Watt   Selectable CCT 3000K-5000K   Energy Star Listed	200

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**PAR 30**



Catalog Number	Description	Quantity Available
PAR30-1-D40-11-40	US LED Par 30 Bulb: 1,070 Lumen   4000K   10.8W   120V   40 Degree Beam Angle   Black	2012

**Decorative Pendants**



Catalog Number	Description	Quantity Available
RFCP-1-UNVL-WH	LED Round Pendant   120-277V   5' Cord   E26 Base   A19 Bulb (not included)   White Fabric	314
USCP-1-UNVL-SL BK	LED Cone Pendant   120-277V   E26 Base   A19 Bulb (not included)   Silver Finish   Black Cord	209
USDS-1-UNVL-A	LED Dome Sphere Pendant   120-277V   E26 Base   5W G9 Lamps (not included)   Anodized Aluminum	285
57856	A19 E26 Bulb   8.5W   120V   800 Lumen   2700K   Dimmable	103
8.5A19DIM/830	8.5W A19   3000K   Dimmable   60W Equivalent	36
G9/LED/4W/CL/120V/50K	LED G9 Light Bulb   500 lumens   60W   120V   5000K   Super White   Clear Finish	260

**SGM1**



Catalog Number	Description	Quantity Available
PSH1-1-P-I-W-4	SGM   Indoor Driver Box   White   Plastic Cover   100W	40
SGM1-1-40-90-60	SGM   Linear Strip Fixture   5'   1,100 L   12W   120-277V   4000K   7-Year Warranty *No Driver Included PSH1-1-P-I-W-4*	101

**LMU1**



Catalog Number	Description	Quantity Available
LMU1-1-12-36-40-80-Y6	LMU   Undershef Task Light   3'   1,350 L   13W   120V   4000K   80 CRI   Integrated Occupancy Sensor 6 Minute Delay   Power Source Not Included   7-Year Warranty	5344
PWW-1-24-20	Wall Mount AC Adapters Wall Plug-In Power Supply, Switch Mode, Fixed Blade, 100-240VAC Input, 24V Output, 0.50A, Positive, Level VI	1000

**TCK Troffer Conversion Kit**



Catalog Number	Description	Quantity Available
TCK1-1-2-UNVL-18-2-40	TCK   Troffer Conversion Kit   2x2   2,360 L   18.5W   120-277V   4000K   Dimmable   161,000 Hrs   Diffused Lens Included   7-Year Warranty	476
TCK1-1-2-UNVL-25-2-40	TCK   Troffer Conversion Kit   2x2   3,100 L   25.2W   120-277V   4000K   Dimmable   161,000 Hrs   Diffused Lens Included   7-Year Warranty	420
TCK1-1-4-UNVL-30-2-40	TCK   Troffer Conversion Kit   2x4   3,830 L   30W   120-277V   4000K   Dimmable   161,000 Hrs   Diffused Lens Included   7-Year Warranty	16

**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**PJF1 PJF2 Linear Strip**



Catalog Number	Description	Quantity Available
PJF1-1-2-1-17-ID-40-D	PJF1 2' Strip Fixture   Surface and Suspended   2340lm   16.7W   120-277VAC   4000K   White   Dimmable   10-Year Warranty	129
PJF1-1-2-X-17-ID-50-O	PJF1 2' Strip Fixture   2450 Lumens   16.5 Watt   120 Volt   5000K   White	64
PJF1-1-4-1-25-ID-35-D	PJF1 4' Strip Fixture   3570 Lumens   25.3 Watt   120-277 Volt   3500K   White   Dimmable	6
PJF1-1-4-1-25-ID-40-D	PJF1 4' Strip Fixture   Surface and Suspended   3600lm   25.3W   120-277VAC   4000K   White   Dimmable   10-Year Warranty	6
PJF1-1-4-1-25-ID-40-D 1	PJF1 4' Strip Fixture   Surface and Suspended   3600lm   25.3W   120-277VAC   4000K   White   Dimmable   With Sensor   10-Year Warranty	150
PJF1-1-4-1-25-ID-40-D 1 B	PJF1 4' Strip Fixture   Surface and Suspended   3600lm   25.3W   120-277VAC   4000K   White   Dimmable   With Integrated Battery Back Up   Sensor   10-Year Warranty	50
PJF1-1-4-1-25-ID-40-D HL	PJF1 4' Strip Fixture   Surface and Suspended   3600lm   27W   120-277VAC   4000K   White   Dimmable   10-Year Warranty	180
PJF1-1-4-1-25-ID-50-D	PJF1 4' Strip Fixture   Surface and Suspended   3660lm   25.3W   120-277VAC   5000K   White   Dimmable   10-Year Warranty	2
PJF1-1-4-1-30-B-T-D B	PJF1 4' Strip Fixture   Surface and Suspended   4000lm   30W   120-277VAC   2700-6500K   White   Dimmable   Smart Blu   Integrated BBU   10-Year Warranty	6
PJF1-1-4-1-30-B-T-D B	PJF1 4' Strip Fixture   Surface and Suspended   4000lm   30W   120-277VAC   2700-6500K   White   Dimmable   Smart Blu   Integrated BBU   10-Year Warranty	6
PJF1-1-4-1-35-ID-40-D	PJF1 4' Strip Fixture   Surface and Suspended   4860lm   34.7W   120-277VAC   4000K   White   Dimmable   10-Year Warranty	78
PJF1-1-4-1-35-ID-50-D 1 B	PJF1 4' Strip Fixture   4860 Lumens   34.7 Watt   120-277V   5000K   White   With Integrated Battery Back Up   With Sensor	4
PJF1-1-4-1-35-ID-50-D DH	PJF1 4' Strip Fixture   Surface and Suspended   4860lm   34.7W   120-277VAC   5000K   White   Occupancy Sensor with Daylight Harvesting   10-Year Warranty	2
PJF1-1-4-X-35-ID-40-O	PJF1 4' Strip Fixture   4860 Lumens   34.7 Watt   120 Volt   4000K   White	3
PJF1-1-8-1-60-B-T	PJF1 8' Strip Fixture   8680 Lumens   60 Watt   120-277 Volt   2700-6500K   White   Dimmable   Blu-Drive	8
PJF1-1-8-1-60-ID-50-D	PJF1 8' Strip Fixture   Surface and Suspended   8680lm   60W   120-277VAC   5000K   White   Dimmable   10-Year Warranty	12

**Signage Solutions**

**LinearStar LED Sign Lighting**



Catalog Number	Description	Quantity Available
SKT1-1-24-BK-1-30-90-L	1' Linear Star Sub Assembly Kit   Left Unit   2.4W   190 Lumens   3000K   90 CRI   Black	5
SKT1-1-24-BK-1-30-90-R	1' Linear Star Sub Assembly Kit   Right Unit   2.4W   190 Lumens   3000K   90 CRI   Black	5
SKT1-1-24-BK-4-30-90-C	4' Linear Star Sub Assembly Kit   Center Unit   9.6W   760 Lumens   3000K   90 CRI   Black	2
SKT1-1-37-SL-1-50-80-L	Linear Star   Outdoor Sign Lighting and Wall Washer   1'   340 L   3.7W   120-277V   5000K   Left Unit   Silver   Need Mount, Driver and Cable   5-Year Warranty	11
SKT1-1-37-SL-1-50-80-R	Linear Star   Outdoor Sign Lighting and Wall Washer   1'   340 L   3.7W   120-277V   5000K   Right Unit   Silver   Need Mount, Driver and Cable   5-Year Warranty	3
SKT1-1-37-SL-4-50-80-C	Linear Star   Outdoor Sign Lighting and Wall Washer   4'   1,350 L   14.8W   120-277V   5000K   Center Unit   Silver   Need Mount, Driver and Cable   5-Year Warranty	44
SMT1-1-SL-18	Linear Star   Mounting Kit   18 Degree Angle   6' to 10'   Silver	35
SMT1-1-SL-22	Linear Star   Mounting Kit   22 Degree Angle   4' to 6'   Silver	3
SMT1-2-BK-22	Linear Star Mounting Kit   22 Degree Angle   Black   For 4' to 6' Monument Sign Height	1391

**PDX Modules**



Catalog Number	Description	Quantity Available
PDX1-2-12-B	PDX Module   Blue   8.5 Lumens   1.15 Watt   High Flux   2 Modules per Foot	3194
PDX1-2-12-G	PDX Module   Green   27.5 Lumens   0.36 Watt   High Flux   2 Modules per Foot	5280
PDX1-2-12-O	PDX Module   Orange   30 Lumens   1.45 Watt   High Flux   2 Modules per Foot	400
PDX1-2-12-50	PDX Module   85L   12V   1W   5000K   High Flux   2 Modules per ft	472
PDX1-2-12-65	PDX Module   90L   12V   1W   6500K   High Flux   2 Modules per ft	277



Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026

Point XL & XLP



Catalog Number	Description	Quantity Available
PXL-2-12-W40	Point XL Module   100 Lumen   1W   12V   4000K   1.5 Modules Per Foot	1462
PXL-2-12-W50	Point XL Module   100 Lumen   1W   12V   5000K   1.5 Modules Per Foot	1340
PXLP-2-12-W50	Point XLP Module   Channel Letter Lighting   100L   12V   1W   5000K   1.5 Modules per ft	3420



**Essential Lighting Solutions | Hot Sheet Stock Report | Updated 03-12-2026**

**Saver XL**



Catalog Number	Description	Quantity Available
SXL-1-12-W40	Saver XL Module   Channel Letter Lighting   50L   12V   1W   4000K   2 Modules per ft	952
SXL-1-12-W50	Saver XL Module   Channel Letter Lighting   50L   12V   1W   5000K   2 Modules per ft	9176
SXL-1-12-G	Saver XL Module   Channel Letter Lighting   12V   1W   2 Modules per ft   Green	1500
SXL-1-12-O	Saver XL Module   Channel Letter Lighting   12V   1W   2 Modules per ft   Orange	1270
SXL-1-12-R	Saver XL Module   Channel Letter Lighting   12V   1W   2 Modules per ft   Red	1115

**TX1 Custom and Tube Length Kits**



Catalog Number	Description	Quantity Available
TX1-6-24-D-8-48-65	TDX   Sign Cabinet Lighting Retrofit Kit   4'   6500K   8 Modules   Double Sided	13
TX1-6-24-D-8-60-50	TDX   Sign Cabinet Lighting Retrofit Kit   57.91"   5000K   8 Modules   Double Sided	6
TX1-6-24-D-8-72-50	TDX   Sign Cabinet Lighting Retrofit Kit   69.91"   5000K   8 Modules   Double Sided	2
TX1-6-24-S-2-30-65	TDX   Sign Cabinet Lighting Retrofit Kit   27.91"   6500K   2 Modules   Single Sided	5
TX1-6-24-S-4-48-65	TDX   Sign Cabinet Lighting Retrofit Kit   4'   6500K   4 Modules   Single Sided	17
TX1-6-24-S-4-72-50	TDX   Sign Cabinet Lighting Retrofit Kit   69.91"   5000K   4 Modules   Single Sided	12
TX1-6-24-S-5-84-50	TDX   Sign Cabinet Lighting Retrofit Kit   81.91"   5000K   5 Modules   Single Sided	8
TX1-6-24-S-6-96-50	TDX   Sign Cabinet Lighting Retrofit Kit   93.91"   5000K   6 Modules   Single Sided	8
TX1L-1-24-D-3-42-W	TX1L   Sign Cabinet Lighting Retrofit Kit   42"   2400L   24V   6500K   3 Modules   Double Sided	12
TX1L-1-24-D-4-60-W	TX1L   Sign Cabinet Lighting Retrofit Kit   60"   3200L   24V   6500K   4 Modules   Double Sided	10
TX1L-1-24-D-5-72-W	TX1L   Sign Cabinet Lighting Retrofit Kit   72"   4000L   24V   6500K   5 Modules   Double Sided	48
TX1L-1-24-D-6-84-W	TX1L   Sign Cabinet Lighting Retrofit Kit   84"   4800L   24V   6500K   6 Modules   Double Sided	5
TX1L-1-24-D-6-96-W	TX1L   Sign Cabinet Lighting Retrofit Kit   96"   4800L   24V   6500K   6 Modules   Double Sided	40
TX1L-1-24-S-4-48-W	TX1L   Sign Cabinet Lighting Retrofit Kit   48"   1600L   24V   6500K   4 Modules   Single Sided	9
TX1L-4-24-D-4-48-W	TX1L   Sign Cabinet Lighting Retrofit Kit   48"   24V   6500K   4 Modules   Double Sided	4
TX1L-4-24-D-4-48-W50	TX1L   Sign Cabinet Lighting Retrofit Kit   48"   24V   5000K   4 Modules   Double Sided	47
TX1L-4-24-S-4-48-W	TX1L   Sign Cabinet Lighting Retrofit Kit   48"   24V   6500K   4 Modules   Double Sided	3